

## I.5-FILECRAT-FC PROGRAM FILECRAT COMMAND FC

### Purpose

Command FC initializes the Forecast Component Data Base files.

The files can be new files which are empty or old files which are to be reinitialized.

### Input Data (free format)

<u>Card</u>	<u>Columns</u>	<u>Field</u>	<u>Format</u>	<u>Contents</u>
1	1-72	1		'FC'
2	1-72	1		'NCARRY'
		2	I	Maximum number of Carryover dates to be saved (maximum is 10)
3	1-72	1		'NFG'
		2	I	Maximum number of Forecast Groups
4	1-72	1		'NSEG'
		2	I	Maximum number of Segments
5	1-72	1		'NRC'
		2	I	Maximum number of Rating Curves
6	1-72	1		'TRACKS'
		2	I	Number of tracks for file FCCOGDEF <u>1</u> /
		3	I	Number of tracks for file FCCARRY <u>1</u> /
		4	I	Number of tracks for file FCFGSTAT <u>1</u> /
		5	I	Number of tracks for file FCFGLIST <u>1</u> /
		6	I	Number of tracks for file FCSEGPTR <u>1</u> /
		7	I	Number of tracks for file FCSEGSTS <u>1</u> /
		8	I	Number of tracks for file FCPARAM <u>1</u> /
		9	I	Number of tracks for file FCRRATING

Card Columns Field Format Contents

				<u>1/</u>
		10	I	Number of tracks for file FCRCPTR <u>1/</u>
7	1-72			'END'

Notes:

1/ The size can be computed by the program FILESIZE command FC.